

2003 GMC Sonoma TS10603 Reg Cab 108" WB SL Fleet



Photo may not represent exact vehicle or selected equipment.

VEHICLE SUMMARY

	MSRP
Base Price	\$14,175.00
Dest Charge	\$610.00
Advert/Adjustments	\$0.00
Total Options	\$2,159.00
Total Price	\$16,944.00

Effective Date: 7/15/02

SELECTED OPTIONS CODE DESCRIPTION

MSRP

—	PICKUP BED, FLEETSIDE, ALL-WELDED STEEL -inc: double wall construction & corrosion protection (STD)	\$0.00
Z85	SUSPENSION PACKAGE, INCREASED CAPACITY -inc: 1.26" (32 mm) twin-tube shocks & a 1.14" (29 mm) stabilizer bar (REQ: C5D GVWR)	\$64.00
C5D	GVWR, 4600 lbs. (2087 kg) (REQ: Z85 Suspension Pkg)	\$0.00
FE9	EMISSIONS, FEDERAL REQUIREMENTS	\$0.00
LU3	ENGINE, VORTEC 4300 V6 MFI -inc: (180 HP [134.3 kW] @ 4400 rpm, 245 lb.-ft. [330.7 N-m] @ 2800 rpm)	\$1,000.00
M30	TRANSMISSION, 4-SPEED AUTOMATIC, ELECTRONICALLY CONTROLLED W/OVERDRIVE	\$1,095.00
—	NO LOCKING DIFFERENTIAL	\$0.00

VEHICLES, TRUCKS, PICKUP, COMPACT - T0100
SECTION 1, PRICE: \$10,972.00 (LINE 1), OPTIONS' DISCOUNT: 12% (LINE 2)
CONTRACT: A53126 CONTRACTOR: BEYER BROS CORP

CODE	DESCRIPTION	MSRP
GU6	REAR AXLE, 3.42 RATIO (REQ: LU3 Engine)	\$0.00
1SF	PREFERRED EQUIPMENT GROUP -inc: SL decor	\$0.00
QCE	TIRES, P205/75R15, ALL-SEASON, BLACKWALL (STD)	\$0.00
___	TIRE, SPARE, COMPACT (STD)	\$0.00
AM6	SEATS, FRONT 60/40 SPLIT-BENCH, MANUAL RECLINING, INTEGRAL OUTBOARD HEAD RESTRAINTS, ARMRESTS (STD) -inc: integral storage, dual cupholders	\$0.00
__H	DELUXE CLOTH TRIM (STD)	\$0.00
ZY1	PAINT, SOLID (STD)	\$0.00
___	AIR CONDITIONING, FRONT MANUAL (STD)	\$0.00
UM7	SOUND SYSTEM, ETR AM/FM STEREO -inc: seek-&-scan & digital clock (STD)	\$0.00

Color Selections

	Description	Code
Exterior#1	Pewter Metallic	11
Exterior#2		
Interior	Medium Gray	92
	Description	Code
Exterior#1	Pewter Metallic	11
Exterior#2		
Interior	Graphite	12
	Description	Code
Exterior#1	Indigo Blue Metallic	39
Exterior#2		
Interior	Medium Gray	92
	Description	Code
Exterior#1	Indigo Blue Metallic	39
Exterior#2		
Interior	Graphite	12
	Description	Code
Exterior#1	Onyx Black	41
Exterior#2		
Interior	Medium Gray	92
	Description	Code
Exterior#1	Onyx Black	41
Exterior#2		
Interior	Graphite	12

CODE	DESCRIPTION	MSRP
<hr/>		
	Description	Code
Exterior#1	Polo Green Metallic	47
Exterior#2		
Interior	Medium Gray	92
<hr/>		
	Description	Code
Exterior#1	Polo Green Metallic	47
Exterior#2		
Interior	Graphite	12
<hr/>		
	Description	Code
Exterior#1	Summit White	50
Exterior#2		
Interior	Medium Gray	92
<hr/>		
	Description	Code
Exterior#1	Summit White	50
Exterior#2		
Interior	Graphite	12
<hr/>		
	Description	Code
Exterior#1	Sandalwood Metallic	58
Exterior#2		
Interior	Medium Gray	92
<hr/>		
	Description	Code
Exterior#1	Sandalwood Metallic	58
Exterior#2		
Interior	Graphite	12
<hr/>		
	Description	Code
Exterior#1	Fire Red	74
Exterior#2		
Interior	Medium Gray	92
<hr/>		
	Description	Code
Exterior#1	Fire Red	74
Exterior#2		
Interior	Graphite	12
<hr/>		
	Description	Code
Exterior#1	Cherry Red Metallic	94

CODE	DESCRIPTION	MSRP
Exterior#2		
Interior	Medium Gray	92
	Description	Code
Exterior#1	Cherry Red Metallic	94
Exterior#2		
Interior	Graphite	12

OPTIONAL EQUIPMENT

CODE	DESCRIPTION	MSRP
BODY CODE		
—	PICKUP BED, FLEETSIDE, ALL-WELDED STEEL -inc: double wall construction & corrosion protection (STD)	\$0.00
SUSPENSION PKG		
Z83	SUSPENSION PACKAGE, SOLID SMOOTH RIDE (REQ: C5T GVWR) (STD)	\$0.00
Z85	SUSPENSION PACKAGE, INCREASED CAPACITY -inc: 1.26" (32 mm) twin-tube shocks & a 1.14" (29 mm) stabilizer bar (REQ: C5D GVWR)	\$64.00
GVWR		
C5T	GVWR, 4200 lbs. (1905 kg) (REQ: Z83 Suspension Pkg)	\$0.00
C5D	GVWR, 4600 lbs. (2087 kg) (REQ: Z85 Suspension Pkg)	\$0.00
EMISSIONS		
FE9	EMISSIONS, FEDERAL REQUIREMENTS	\$0.00
NG1	EMISSIONS, NEW YORK OR VERMONT STATE REQUIREMENTS *Must be ordered in NY or VT*	\$0.00
NE1	EMISSIONS, MASSACHUSETTS OR MAINE STATE REQUIREMENTS *Must be ordered in MA or ME*	\$0.00
YF5	EMISSIONS, CALIFORNIA STATE REQUIREMENTS	\$0.00
NB8	EMISSIONS OVERRIDE, CALIFORNIA, NEW YORK, VERMONT, MASSACHUSETTS OR MAINE (REQ: FE9 Emissions) (for vehicles ordered by dealers in states of California, New York, Vermont, Massachusetts or Maine w/Federal emissions)	\$0.00
NC7	EMISSIONS OVERRIDE, FEDERAL (for vehicles ordered by dealers in Federal emission states w/California, New York, Vermont, Massachusetts or Maine emissions; may also be used by dealers in states of California, New York, Vermont, Massachusetts or Maine to order different state-specific emissions) (REQ: NG1, NE1, or YF5 Emissions)	\$0.00

ENGINE

CODE	DESCRIPTION	MSRP
LN2	ENGINE, VORTEC 2200 L4 MFI (STD) (N/A w/G80 Differential) -inc: 120 HP [89.5 kW @ 5000 rpm, 140 lb.-ft. [189.0 N-m] @ 3600 rpm)	\$0.00
LU3	ENGINE, VORTEC 4300 V6 MFI -inc: (180 HP [134.3 kW] @ 4400 rpm, 245 lb.-ft. [330.7 N-m] @ 2800 rpm)	\$1,000.00
TRANSMISSION		
MW2	TRANSMISSION, 5-SPEED MANUAL W/OVERDRIVE (REQ: LN2 Engine) (STD)	\$0.00
M30	TRANSMISSION, 4-SPEED AUTOMATIC, ELECTRONICALLY CONTROLLED W/OVERDRIVE	\$1,095.00
DIFFERENTIAL		
___	NO LOCKING DIFFERENTIAL	\$0.00
G80	DIFFERENTIAL, LOCKING, HEAVY-DUTY, REAR (REQ: LU3 Engine)	\$270.00
AXLE		
GU6	REAR AXLE, 3.42 RATIO (REQ: LU3 Engine)	\$0.00
GT4	REAR AXLE, 3.73 RATIO (REQ: LN2 Engine, MW2 Trans)	\$0.00
GT5	REAR AXLE, 4.10 RATIO (REQ: LN2 Engine, M30 Trans)	\$0.00
PREFERRED EQUIPMENT GROUP		
1SF	PREFERRED EQUIPMENT GROUP -inc: SL decor	\$0.00
TIRES		
QCE	TIRES, P205/75R15, ALL-SEASON, BLACKWALL (STD)	\$0.00
QCA	TIRES, P205/75R15, ALL-SEASON, WHITE OUTLINED-LETTER	\$121.00
SPARE TIRE		
___	TIRE, SPARE, COMPACT (STD)	\$0.00
ZCE	TIRE, SPARE P205/75R15, ALL-SEASON, BLACKWALL (REQ: QCE Tires) located at rear underbody of vehicle	\$95.00
ZCA	TIRE, SPARE P205/75R15, ALL SEASON, WHITE OUTLINED- LETTER (REQ: QCA Tires)	\$95.00
SEAT TYPE		
AM6	SEATS, FRONT 60/40 SPLIT-BENCH, MANUAL RECLINING, INTEGRAL OUTBOARD HEAD RESTRAINTS, ARMRESTS (STD) - inc: integral storage, dual cupholders	\$0.00
SEAT TRIM		
___H	DELUXE CLOTH TRIM (STD)	\$0.00
___W	CUSTOM VINYL TRIM	\$0.00
PAINT		
ZY1	PAINT, SOLID (STD)	\$0.00
___	EXTRA COST PAINT	\$115.00
AIR CONDITIONING		
___	AIR CONDITIONING, FRONT MANUAL (STD)	\$0.00
R6G	AIR CONDITIONING DELETE *CREDIT*	-\$650.00
RADIO		

CODE	DESCRIPTION	MSRP
UM7	SOUND SYSTEM, ETR AM/FM STEREO -inc: seek-&-scan & digital clock (STD)	\$0.00
UL5	SOUND SYSTEM, RADIO DELETE *CREDIT* *Deletes STD radio*	-\$200.00
UN0	SOUND SYSTEM, ETR AM/FM STEREO W/CD PLAYER -inc: seek-&-scan, digital clock, auto-tone control, speed-compensated volume, TheftLock & Radio Data System (RDS)	\$302.00
ADDITIONAL OPTIONS		
PDB	SPECIAL EQUIPMENT PACKAGE, NATURAL BRUSHED ALUMINUM BED RAILS *Dealer Installed*	\$169.00
PDU	SPECIAL EQUIPMENT PACKAGE, HARD LOCKABLE TONNEAU COVER *Dealer Installed*	\$515.00
PDW	SPECIAL EQUIPMENT PACKAGE, SOFT TONNEAU COVER *Dealer Installed*	\$271.00
PCX	SPECIAL EQUIPMENT PACKAGE, BED EXTENDER *Dealer Installed*	\$189.00
PDZ	SPECIAL EQUIPMENT PACKAGE, TRAILER HITCH *Dealer Installed* (REQ: LU3 Engine)	\$162.00
V10	COLD CLIMATE PACKAGE *Required in AK, MN, MT, ND, SD* -inc: engine block heater & heavy-duty battery, 690 cold-cranking amps	\$90.00
B30	FLOOR COVERING, COLOR-KEYED CARPETING	\$70.00
B32	FLOORMATS -inc: front rubberized vinyl floormats (REQ: B30 Floor Covering)	\$25.00
U16	INSTRUMENTATION, TACHOMETER	\$59.00
ZQ3	CONVENIENCE PACKAGE -inc: tilt-wheel & cruise control	\$395.00
R6M	NEW JERSEY COST SURCHARGE *Required on all vehicles ordered by New Jersey dealers*	\$0.00
R8Q	ILLINOIS COST SURCHARGE	\$0.00
TFD	RETAIL AMENITY DELETE *CREDIT*	\$0.00
—	**NATIONAL FLEET INCENTIVE AVAILABLE TO QUALIFIED FLEET BUYERS ONLY** when VX5 is on the order, the fleet credit will equal the greater of either the national fleet allowance or retail incentive alternative IN EFFECT AT THE TIME OF DELIVERY	\$0.00
VX5	FLEET INCENTIVE INVOICE CREDIT	\$0.00
VQ1	FLEET PROCESSING OPTION	\$0.00
VQ2	FLEET PROCESSING OPTION	\$0.00
VQ3	FLEET PROCESSING OPTION	\$0.00
—	BID ASSISTANCE	\$0.00
SPECIAL EQUIPMENT OPTIONS		
8E1	FUEL, ADDITIONAL 3 GALLONS 3 gallons in addition to normal assembly plant	\$8.00
8U4	ENGINE BLOCK HEATER Engine block heater w/hook-up cord.	\$35.00
8X1	LABEL, FASTEN SAFETY BELTS Provides a "Fasten Safety Belts" reminder label window glass	\$2.00
9J6	STEERING COLUMN, TILT (REQ: M30 Trans) Tilt-steering column w/out cruise control. (N/A w/ZQ3 Convenience Pkg)	\$145.00

CODE	DESCRIPTION	MSRP
9W4	PAINTS, SOLID TANGIER ORANGE (REQ: SEO TGK Special Paint) (WA9417)	\$0.00
9W3	PAINTS, SOLID WHEATLAND YELLOW (WA253A) (REQ: SEO TGK Special Paint)	\$0.00
9V5	PAINTS, SOLID WOODLAND GREEN (WA9015) (REQ: SEO TGK Special Paint)	\$0.00
9V9	PAINTS, SOLID DOESKIN TAN (WA9403) (REQ: SEO TGK Special Paint)	\$0.00
TGK	SPECIAL PAINT - SOLID	\$175.00
	w/9W_ or 9V_	\$0.00
	w/o 9W_ or 9V_	\$175.00

STANDARD EQUIPMENT

NOTE

ALL STANDARDS ARE 2003 UNLESS OTHERWISE NOTED

MECHANICAL

Engine, Vortec 2200 L4 MFI, (120 HP [89.5kW] @ 5000 rpm, 140 lb-ft [189.0 N-m] @ 3600 rpm)

Transmission, 5-speed manual w/overdrive

Rear axle, 3.73 ratio

Battery, heavy-duty, 525 cold-cranking amps-inc: rundown protection

Alternator, 100 amps

Pickup bed, Fleetside, all-welded steel w/double wall construction & corrosion protection

Rear wheel drive

GVWR, 4200 lbs. (1905 kg)

Suspension Package, Increased Capacity-inc: 1.26" (32 mm) twin-tube shocks & a 1.14" (29 mm) stabilizer bar

Suspension Package, Solid Smooth Ride

Suspension, rear, semi-floating axle w/2-stage multi-leaf springs

Tires, P205/75R15, all-season, blackwall

Wheels, 4 - 15" x 7" (38.1 cm x 17.8 cm) steel painted Gray-inc: Black center caps

Tire, spare, compact, located at rear underbody of vehicle

Steering, power

Brakes, 4-wheel antilock, front disc/rear drum

18 gallon fuel tank

EXTERIOR

Paint, solid

Bumpers, front & rear, body color, step-inc: step pad

Daytime running lamps-inc: automatic exterior lamp control

Mirrors, outside rearview, foldaway, manual, Black, below eye-line, adjustable heads

Wipers, intermittent, front-inc: pulse washers

INTERIOR

SL Decor
Seats, front 60/40 split-bench, manual reclining, integral outboard head restraints, armrests w/internal storage, dual cupholders
Floor covering, rubberized vinyl
Steering wheel, 4-spoke, deluxe, steel sleeve-inc: theft-deterrent locking feature, Black
Theft-deterrent system, PASSLock
Instrumentation, analog-inc: speedometer, odometer w/trip odometer, fuel level, voltmeter, engine temperature, oil pressure & tachometer
Warning tones, headlamp on, key-in-ignition, driver safety belt unfasten, turn signal on
Air conditioning, front manual
Sound system, ETR AM/FM stereo-inc: seek-&-scan & digital clock
Power outlet, auxiliary, covered, (1), 12-volt
Door trim, w/integral padded armrest, driver & passenger side map pockets
Mirror, inside rearview, manual day/night-inc: dual reading lights
Visors, padded, color-keyed
Assist handle, front passenger
Lighting, w/delayed entry

EMISSIONS CERTIFICATION

LEV certified (2.2L engine/5-speed manual trans) (2002)
LEV certified (2.2L engine/4-speed auto trans) (2002)
LEV certified (4.3L engine/5-speed manual trans) (2002)
LEV certified (4.3L engine/4-speed auto trans) (2002)

EPA FUEL ECONOMY RATINGS

City 22/hwy 28 (2.2L engine w/5-speed manual trans) (2002)
City 19/hwy 25 (2.2L engine w/4-speed auto trans) (2002)
City 16/hwy 22 (4.3L engine/5-speed manual trans) (2002)
City 17/hwy 22 (4.3L engine/4-speed auto trans) (2002)

SAFETY

Brakes, 4-wheel antilock, front disc/rear drum
Air bags, frontal, driver & right front passenger-inc: passenger side deactivation switch
Daytime running lamps-inc: automatic exterior lamp control

COLOR CHART

Interior Colors		
Medium Gray Graphite		
Exterior Colors		
Pewter Metallic	X	X
Indigo Blue Metallic	X	X
Onyx Black	X	X
Polo Green Metallic	X	X
Summit White	X	X

Sandalwood Metallic	X	X
Fire Red	X	X
Cherry Red Metallic	X	X

WARRANTY

<<< PRELIMINARY 2003 WARRANTY >>>

Basic: 3 Years/36,000 Miles

Drivetrain: Gas Engine

3 Years/36,000 Miles

Diesel Engine

5 Years/100,000 Miles

Corrosion: 6 Years/100,000 Miles

Roadside Assistance: 3 Years/36,000 Miles

POWERTRAIN - BASIC SPECIFICATIONS

* Indicates equipment which is in addition to or replaces base model's standard equipment.

ENGINE

Engine Order Code * LU3

Engine Type * Gas V6

Displacement * 4.3L/262 CID

Fuel System (MFI)

SAE Net Horsepower @ RPM * 180 @ 4400

SAE Net Torque @ RPM * 245 @ 2800

TRANSMISSION

Trans Order Code * M30

Trans Type * 4-Speed Automatic
w/OD

Drivetrain Rear Wheel Drive

MILEAGE

	City	Hwy
EPA Fuel Economy Est (MPG)	* 17.00 (2002)	* 22.00 (2002)

Cruising Range (mi)	* 306.00	* 396.00
---------------------	----------	----------

POWERTRAIN - ADVANCED SPECIFICATIONS

* Indicates equipment which is in addition to or replaces base model's standard equipment.

TRANSMISSION

Gear Ratio (:1)

First Gear Ratio (:1) * 3.06

Second Gear Ratio (:1) * 1.63

Third Gear Ratio (:1) * 1.00

Fourth Gear Ratio (:1) * 0.70

Reverse Ratio (:1) * 2.29

TRANSMISSION

Clutch Size (in) *

Trans Power Take Off

TRANSFER CASE

Transfer Case Model

Gear Ratio (:1)

Transfer Case Gear Ratio (:1),
High

Transfer Case Gear Ratio (:1), Low

Transfer Case Power Take Off

DIFFERENTIAL**Front****Rear**

Final Drive Axle Ratio (:1)

* 3.42

ELECTRICAL

Battery

1

2

Maximum Capacity @ 0° F

525.00

Alternator

Maximum Alternator Capacity
(amps)

100.00

COOLING SYSTEM

Total Cooling System Capacity (qts)

* 12.10

Engine Oil Cooler

* Yes

PAYLOAD/TRAILERING SPECIFICATIONS

* Indicates equipment which is in addition to or replaces base model's standard equipment.

WEIGHT INFORMATION**Front****Rear**

Gross Axle Weight Rating (lbs)

2,500.00

* 2,700.00

Curb Weight (lbs)

1,722.00

1,318.00

Total Option Weight (lbs)

* 224.00

* 60.00

Reserve Axle Capacity (lbs)

- TBD -

* - TBD -

Gross Vehicle Weight Rating
(lbs)

As Spec'd Curb Weight (lbs)

As Spec'd Payload (lbs)

Gross Combined Wt Rating
(lbs)**TRAILERING****Max Trailer Wt.****Max Tongue Load**

Dead Weight Hitch (lbs)

* 1,660.00

* 166.00

Weight Distributing Hitch (lbs)

* 5,876.00

* 705.12

Fifth Wheel Hitch (lbs)

*

*

DIMENSION SPECIFICATIONS**EXTERIOR DIMENSIONS**

EXTERIOR DIMENSIONS

Wheelbase (in)	108.30
Length, Overall w/o rear bumper (in)	190.60
Width, Max w/o mirrors (in)	67.90
Height, Overall (in)	62.00
Overhang	
Overhang, Front (in)	35.20
Front Bumper to Back of Cab (in)	106.00
Cab to Axle (in)	37.40
Cab to End of Frame (in)	- TBD -
Ground to Top of Load Floor (in)	25.90
Ground to Top of Frame (in)	
Frame Width, Rear (in)	- TBD -
Ground Clearance	
Ground Clearance, Front (in)	9.10
Ground Clearance, Rear (in)	7.20

CARGO AREA DIMENSIONS

Cargo Box Length @ Floor (in)	72.40
Width	
Cargo Box Width @ Top, Rear (in)	56.60
Cargo Box Width @ Floor (in)	54.90
Cargo Box Width @ Wheelhousings (in)	40.30
Cargo Box (Area) Height (in)	16.80
Tailgate Width (in)	54.90
Cargo Volume (ft³)	39.40
Ext'd Cab Cargo Volume (ft³)	

INTERIOR DIMENSIONS

Passenger Capacity	3.00
Seating Position	Front
Head Room (in)	39.50
Leg Room (in)	42.40
Shoulder Room (in)	56.90
Hip Room (in)	53.60

CHASSIS SPECIFICATIONS

* Indicates equipment which is in addition to or replaces base model's standard equipment.

SUSPENSION	Front	Rear	
Spring			
Spring Type	Coil Spring	2-Stage Multi-Leaf	
Spring Capacity (lbs)	2,500.00	* 2,700.00	
Axle			
Axle Type		Semi-Floating	
Axle Capacity (lbs)	2,500.00	2,900.00	
Shock Absorber Diameter (mm)	32.00	32.00	
Stabilizer Bar Diameter (in)	* 1.14		
BRAKES			
Brake Type	Power		
Brake ABS System	4-Wheel		
	Front	Rear	
Disc	Yes		
Rotor Diam x Thickness (in)	10.5 x 1.03		
Drum		Yes	
Drum Diam x Width (in)		9.5 x 2.0	
TIRES	Front	Rear	Spare
Tire Order Code	QCE	QCE	
Tire Size	P205/75R15	P205/75R15	T155/90D16
Capacity (lbs)	1,452.00	1,452.00	1,453.00
Revolutions/Mile @ 45mph	- TBD -	- TBD -	- TBD -
WHEELS	Front	Rear	Spare
Wheel Size (in)	15 x 7	15 x 7	16 x 4
Wheel Type	Steel	Steel	Steel
STEERING			
Steering Type	Pwr		
Ratio (:1)			
Steering Ratio (:1), On Center	- TBD -		
Steering Ratio (:1), At Lock	- TBD -		
Turning Diameter (ft)			
Turning Diameter - Curb to Curb (ft)	37.00		
Turning Diameter - Wall to Wall (ft)	- TBD -		
FUEL TANK	Main	Auxiliary	
Fuel Tank Capacity, Approx (gal)	18.00		
Fuel Tank Location	Inboard LH Frame		